

PRODUCT CATALOGUE

CONTENTS

Slim	line /	Art l	Han	gin	g S	System
						

SPECIFICATIONS | PAGE



Slimline System Overview	4
Slimline Track	4
Wall Anchors	4
Slimline Hangers	4
Adjustable Hooks To Suit Slimline Hangers	5
Slimline Accessories	5
The Slimline System Weight Guide	6
Order Codes	6

The Gallery System

SPECIFICATIONS | PAGE



The Gallery System Overview	8
The Gallery System Track	8
The Gallery System Hangers	8
Adjustable Hooks To Suit The Gallery System Hangers	9
The Gallery System Accessories	10
The Gallery System Weight Guide	10
Order Codes	II

The Traditional Picture Rail Hanging System

SPECIFICATIONS | PAGE



The Traditional Picture Rail Hanging System Overview		
Traditional Picture Rail Hanging System Packs		
Adjustable Hooks To Suit The Traditional Picture Rail Hangers	14	
Accessories	14	
The Traditional Picture Rail Weight Guides	15	
Order Codes	15	



Slimline Art Hanging System

The Slimline System is designed for use in homes, offices, galleries or wherever there is a need to hang lighter artwork (up to 15kg). It is unobtrusive because of its sleek design and can be installed up against the ceiling or cornice where it is less visible.

Wall Anchors are used to fix the Slimline track to the wall leaving a sleek, smooth look with no screws visible. The unobtrusive Slimline hangers fit into the Slimline Track and hang down the wall. The adjustable hooks thread onto the hangers to hold up the picture.

The Slimline System allows you to move your pictures with ease to any position horizontally or vertically along the length of the track.

• Lifetime warranty on Slimline track • 10 year warranty on all other Slimline components

SLIMLINE TRACK*

- Sold in 2 metre lengths.
- Aluminium construction.
- Available colours.
 - Powder coated white.
 - Anodised silver.
- Maximum weight capacity of 30kg per metre.

WALL ANCHORS*

- · Plastic construction.
 - A minimum of five (5) wall anchors are required per 2m length of track.
 - Sold in packs of 5 or 25.
 - For best results use an 8 gauge × 38mm self-tapping pan head screw. (zinc plated or stainless steel).
 - Screwing into a stud is preferable.
 - See installation instructions for full details at www.thegallerysystem.co.uk/directions.

SLIMLINE HANGERS*

Options available

Clear Tape Hangers

- Strong, clear, 6mm wide flat plastic tape.
- Each Slimline Clear Tape hanger comes with a cast metal track slide swaged onto one end to hold the hanger up into the track.
- Clear Tape can be cut to length with scissors.
- Standard pack size 10 x 2m Clear Tape hangers.


Clearline Hanger Kit

- I.4mm diameter clear plastic line.
- Standard pack size 10 x 2m Lengths of Clearline + 10 x Adjustable hooks.
- Hook options are the Slimline Mini hooks or the Clearline Push Button hooks.
- Each length of Clearline comes with an aluminium track slide swaged onto one end to hold the hanger up into the track.
- Clearline can be cut to length with scissors.



Stainless Steel Cable Hangers

- 1.2mm diameter, 316 marine grade stainless steel cable (7 x 7 strands).
- Standard pack size 10 × 2m lengths with track slides to hold the cable up into
- Stainless Cable should **NOT** be cut as this will cause fraying.



ADJUSTABLE HOOKS TO SUIT SLIMLINE HANGERS*

Options available (standard, packs of 10)



Slimline Mini Hook

- For use with Slimline Clearline, Slimline Clear Tape and Slimline Stainless Steel Cable hangers (see weight guide table for max. weights).
- Hook constructed from 1.2mm zinc plated steel and hook body is constructed from anodised aluminium.
- Hook position adjusted on the hanger by utilising the Allen key provided.
- The hook is designed to minimise marking of the hanger.



Slimline Push Button Hook

- For use with the Slimline Stainless Steel Cable hangers (see weight guide table for max. weights).
- Chrome plated.
- Hook position adjusted on hanger by pressing the button on the top of the hook.
- No Allen key is required.



Clearline Push Button Hook

- For use with the Slimline and The Gallery System Clearline hangers (see weight guide table for max. weights).
- Modern black finish.
- Hook position adjusted on hanger by pressing the button on the top of the hook.
- No Allen key is required.



Push Button Security Hook

- For use with the Slimline Stainless Steel Cable hangers (see weight guide table for max, weights).
- Secures the picture onto the hanger to help prevent snatch and run art theft.
- Chrome plated hook.
- Hook position adjusted on hanger by pressing the button on the top of the hook.
- No Allen key is required.





Slimline End Caps

- Used to finish the ends of the track when they are exposed.
- Plastic construction.
- Available in white or silver to match the Slimline track.
- Sold in packs of 2.



HangRight Clips

- Install at the back of the picture frame to help avoid the picture from leaning too far foward on the hanging system.
- Suitable for use with all Slimline hangers.
- Sold in packs of 10.

The Slimline System Weight Guide To Hangers & Hooks

	Slimline Mini Hooks	Slimline Push Button Hooks	Clearline Push Button Hooks (black)	The Gallery System Push Button Security Hooks
Slimline Clear Tape Hangers	✓ Max 7kg			
Slimline Clearline Hangers	✓ Max 8kg		✓ Max 6kg	
Slimline Stainless Steel Cable Hangers	√ Max 15kg	✓ Max 14kg	✓ Max 6kg	✓ Max 15kg

IMPORTANT: Use two hangers and hooks for all pictures weighing over recommended maximum weight. During the hanging process using two hangers and hooks, ensure weight of the picture is evenly distributed on both hooks at ALL times. This will prevent overloading one hook which may result in damage to the hook or hanger.

ORDER CODES

SLIMLINE HANGERS

Packs of 10	Slimline Clear Tape	Slimline Clearline Kit with Mini Hooks	Slimline Clearline Kit with Clearline Push Button Hooks (black)	Slimline Stainless Steel Cable
2 metre Lengths	gsluk.hanpct	GSLUK.HANPCLH	GSLUK.HANPCLPB	gsluk.hanpssc

ADJUSTABLE HOOKS TO SUIT SLIMLINE HANGERS

	Slimline	Slimline	Clearline Push	Push Button
	Mini Hook	Push Button Hook	Button Hooks (black)	Security Hook
Pack of 10	GSLUK.HOOP	GSLUK.PBHOOP	GBLCLPBHOOP	GUKSECPB

SLIMLINE TRACK & WALL ANCHORS

	Slimline White Track	Slimline Anodised Silver Track
2 metre Lengths	GSLUK.TRACK2W	GSLUK.TRACK2
Wall Anchors (5 Pk)	GSLUK.WALLP	
Wall Anchors (25 Pk)	GSLUK.WALLP25	

SLIMLINE ACCESSORIES

	Slimline End Caps	HangRight Clips
White (2 Pk)	GSLUK.ENDCW	
Silver (2 Pk)	GSLUK.ENDC	
Pack of 10		GUKHANGRIGHT



The Gallery System

The Gallery System is the original hanging system. It is ideal for art galleries, museums, schools and universities, homes and offices, or wherever there is a need to hang heavier art. It is a strong and flexible display system which lets you change your art quickly, and all without damaging the walls.

The track is also designed to partner with The Gallery Lighting System.

The Gallery System hangers fit into The Gallery System track and hang down the wall. The adjustable hooks thread onto the hangers to hold up the picture. The Gallery System allows you to move your pictures to any position horizontally or vertically along the length of the track.

- Lifetime warranty on The Gallery System track
- 10 year warranty on all other components in The Gallery System range.

THE GALLERY SYSTEM TRACK*



- Sold in 2m lengths.
- Aluminium construction.
- Available colours
 - Powder coated white.
 - Anodised Silver.
- Maximum weight capacity of 30kg per metre.
- See installation instructions for full details at www.thegallerysystem.co.uk/directions.

THE GALLERY SYSTEM HANGERS*

Options available




- Clear Tape Hangers
 - Strong, clear flat plastic tape.
 - 10mm wide.
 - Standard pack size 30m × Clear Tape and 10 Locking capsules (to hold the tape up into the track).
 - NOTE: When using The Gallery System Clear Tape hangers, leave at least 40 mm at the end of your track at time of installation.

 These hangers need to be inserted from the end of the track.
 - Clear Tape can be cut to length using scissors.



Stainless Steel Cable Hangers

- 1.2mm diameter, 316 marine grade stainless steel cable $(7 \times 7 \text{ strands})$.
- Brass ferrule fitted to one end to hold the cable into the track slide.
- Custom lengths available in packs of 10 on request.
- Standard pack size 10 x 2m Stainless Steel Cable hangers, 10 x zinc plated steel track slides (to hold the cable up into the track).
- Do **NOT** cut the stainless steel cable as this will cause fraying at the ends.









on The Gallery System track



^{*} Refer to page 10 to view maximum weight capacity and page 11 to view order codes and pack sizes.

ADJUSTABLE HOOKS TO SUIT THE GALLERY SYSTEM HANGERS*

Options available (standard, packs of 10)



The Gallery System Allen Key Hook

- For use with The Gallery System Clear Tape or The Gallery System Stainless Steel Cable hangers (see weight guide table for max. weights).
- Hook constructed from zinc plated 1.2mm steel and hook body is constructed from anodised aluminium.
- Hook position is adjusted on the hanger by utilising the Allen key provided.
- Hook is constructed to minimise marking of the hanger.



The Gallery System Push Button Hook

- For use with The Gallery System Stainless Steel Cable hangers (see weight guide table for max. weights).
- Chrome plated cast metal construction.
- Hook position adjusted on hanger by pressing the button on the top of the hook.
- No Allen key required.



Push Button Security Hook

- The metal tab at the front of the hook secures the picture to help prevent snatch and run art theft.
- For use with The Gallery System Stainless Steel Cable hangers (see weight guide table for max. weights).
- Chrome plated cast metal construction.
- Hook position adjusted on hanger by pressing the button on the top of the hook.
- No Allen key required.
- Press the tab at the front of the hook to remove the picture.



THE GALLERY SYSTEM ACCESSORIES



The Gallery System End Caps

- Used to finish the ends of the track when they are exposed.
- Plastic construction.
- Available in white or silver to match the colours of The Gallery System track.
- Sold singularly.



· HangRight Clips

- Install at the back of the picture frame to help avoid the picture from leaning too far foward on the hanging system.
- Suitable for use with all The Gallery System and The Slimline System hangers.
- Sold in packs of 10.



Locking Capsules

- Used to hold The Gallery System Clear Tape up into the track.
- Each pack of The Gallery System Clear Tape has 10 locking capsules included.
- Locking capsules are a plastic construction.
- Sold individually if you have The Gallery System Clear Tape left over.

The Gallery System Weight Guide To Hangers & Hooks

	The Gallery System Allen Key Hooks	The Gallery System Push Button Hooks	The Gallery System Push Button Security Hooks
The Gallery System Clear Tape Hangers	✓ Max 15kg		
The Gallery System Stainless Steel Cable Hangers	✓ Max 20kg	✓ Max 20kg	✓ Max 20kg

IMPORTANT: Use two hangers and hooks for all pictures weighing over recommended maximum weight. During the hanging process using two hangers and hooks, ensure weight of the picture is evenly distributed on both hooks at ALL times. This will prevent overloading one hook which may result in damage to the hook or hanger.

ORDER CODES

THE GALLERY SYSTEM TRACK

	The Gallery System White	The Gallery System Anodised
2 metre Lengths	GUKTRACK2W	GUKTRACK2

THE GALLERY SYSTEM HANGERS

Packs of 10	The Gallery System Clear Tape	The Gallery System Stainless Steel Cable
2 metre Lengths		GUKHANPSSC
30 metre roll	GUKHANPCT	

ADJUSTABLE HOOKS TO SUIT THE GALLERY SYSTEM HANGERS

	The Gallery System Hooks	The Gallery System Push Button Hook	The Gallery System Push Button Security Hooks
Pack of 10	GUKHOOP	GUKPBHOOP	GUKSECPB

THE GALLERY SYSTEM ACCESSORIES

	The Gallery System End Caps	HangRight Clips
White (each)	GUKENDCW	
Silver (each)	GUKENDC	
Pack of 10		GUKHANGRIGHT





SPECIFICATIONS

The Traditional Picture Rail Hanging System

Gallery Systems' Traditional Picture Rail Hangers combine a traditional look and feel with the functionality of a modern hanging system. Utilise your own picture rails with our unique solid brass or solid stainless steel picture rail hooks. Then pair with our stainless steel cable hangers and adjustable hooks to create a classic display.

Our unique picture rail hooks are specifically designed to help avoid forward lean of pictures which is a common problem with other picture rail systems.

- 10 year warranty on Picture Rail hooks.
- 10 year warranty on The Gallery System hangers and hooks.

TRADITIONAL PICTURE RAIL HANGING SYSTEM PACKS*


- Standard pack size includes 5 x solid brass or solid stainless steel picture rail hooks, along with 5 x 2m Stainless Steel Cable hangers.
- Each picture rail hook is clear coated.
- Stainless Steel Cable hangers are manufactured from 1.2mm diameter, 316 marine grade stainless steel cable (7 x 7 strands). Each cable is fitted with a brass swage on one end to hold the hanger into the picture rail hook.





Do NOT cut the stainless steel cable as this will cause fraying at the ends.







Hooks with Stainless Steel Cable Hangers



Stainless Steel Picture Rail Hooks with Stainless Steel Cable Hangers

^{*} Refer to page 15 to view maximum weight capacity, order codes and pack sizes.

The Traditional Picture Rail Hanging System

ADJUSTABLE HOOKS TO SUIT THE TRADITIONAL PICTURE RAIL HANGERS*

Options available (standard, packs of 5)



The Gallery System Allen Key Hook

- For use with Stainless Steel Cable hangers (see weight guide table for max. weights).
- Hook constructed from zinc plated 1.2mm steel and hook body is constructed from anodised aluminium.
- Hook position is adjusted on the hanger by utilising the Allen key provided.
- Hook is constructed to minimise marking of the hanger.



The Gallery System Push Button Hook

- For use with Stainless Steel Cable hangers (see weight guide table for max. weights).
- Chrome plated cast metal construction.
- Hook position adjusted on hanger by pressing the button on the top of the hook.
- No Allen key required.



Push Button Security Hook

- For use with Stainless Steel Cable hangers (see weight guide table for max. weights).
- The metal tab at the front of the hook secures the picture to help prevent snatch and run art theft.
- Chrome plated cast metal construction.
- Hook position adjusted on hanger by pressing the button on the top of the hook.
- No Allen key required.

ACCESSORIES



HangRight Clips

- Install at the back of the picture frame to help avoid the picture from leaning too far forward on the hanging system.
- Suitable for use with both the Stainless-Steel and Clearline hangers.
- Sold in packs of 10.

WEIGHT GUIDE FOR TRADITIONAL PICTURE RAIL HANGERS & HOOKS

	The Gallery	The Gallery	The Gallery
	System Allen	System Push	System Security
	Key Hooks	Button Hooks	Hooks
Brass or Stainless Picture Rail Hooks with Stainless Steel Cable Hangers	Max 20kg #	Max 20kg #	Max 20kg #

[#] Maximum weights assume that the picture rails are installed correctly and securely into wall studs. As a precautionary measure, check that picture rails are securely fastened into wall studs to avoid damage to your art.

ORDER CODES

TRADITIONAL PICTURE RAIL HANGER PACKS

Packs of 5	Brass Picture Rail Hooks	Stainless Steel Picture Rail Hooks
Stainless Steel Cable - 2m	GUKPRHANG5	GUKPRHANG5S

ADJUSTABLE HOOKS TO SUIT TRADITIONAL PICTURE RAIL HANGERS

	The Gallery System	The Gallery System	The Gallery System
	Allen Key Hooks	Push Button Hooks	Security Hooks
Pack of 10	GUKHOOP	GUKPBHOOP	GUKSECPB

IMPORTANT: Use two hangers and hooks for all pictures weighing over recommended maximum weight. During the hanging process using two hangers and hooks, ensure weight of the picture is evenly distributed on both hooks at ALL times. This will prevent overloading one hook which may result in damage to the hook or hanger.

PRODUCT CATALOGUE



Manufactured by Gallery Systems • Queensland • AUSTRALIA

thegallerysystem.co.uk